

# HP LaserJet Professional P1102w

## Self Test / Device Configuration

### Product Information

Product Name = HP LaserJet Professional P1102w  
Formatter Number = Q915MAA  
Product Serial Number = VNC3V03766  
Service ID = Unknown  
Firmware Datecode = 20091029  
Software driver version = 20091104  
Max Print Quality = FastRes 1200  
Black Cartridge = CE285A

### Page Counts

Total Pages Printed = 108  
Input Jams = 0  
Output Jams = 0  
Paper Path Jams = 0  
Narrow Media Page Count = 0  
Total Jobs Printed = 51  
Average Job Size = 2.11  
Average Coverage = 5

### Memory Settings

Total Memory = 8 MBytes  
Available Memory = 5 MBytes

### Print Settings

Print Density = 3  
IO Timeout = 120 secs  
Jam Recovery = Off  
Paper Type = Plain  
Auto Off = 5 minutes  
Rx Code = 03,050,1024

### Network Information

Status = Not Connected  
Host Name = NPI4FE3CE  
Hardware Address = F4CE464FE3CE  
Total Packets Received = 11  
Bad Packets Received = 0  
Total Packets Transmitted = 745  
IPv4 Address = 0.0.0.0  
IP Subnet Mask = 255.255.0.0  
IP Default Gateway = 169.254.219.232  
Bonjour Name =  
HP LaserJet Professional P1102w  
IP Configured By = AutoIP  
DHCP/BOOTP Server = 0.0.0.0  
WINS Server = 0.0.0.0  
IPv6 Link Local Address =  
FE80:0:0:F6CE:46FF:FE4F:E3CE  
IPv6 Stateless Addresses =  
IPv6 DHCP Addresses =  
802.11b/g Wireless:  
Status = Enabled  
Communication Mode = Ad Hoc  
Network Name (SSID) = HP4FE3CE  
Authentication = None (Open)

defaults with  
w.netw. enabled

### Status Log

Code	Page
------	------

### Paper Size/Tray

Default Paper Size = A4

# HP LaserJet Professional P1102w

## Self Test / Device Configuration

### Product Information

Product Name = HP LaserJet Professional P1102w  
Formatter Number = Q915MAA  
Product Serial Number = VNC3V03766  
Service ID = Unknown  
Firmware Datecode = 20091029  
Software driver version = 20091104  
Max Print Quality = FastRes 1200  
Black Cartridge = CE285A

*all wrong*

### Network Information

Status = Not Connected  
Host Name = NPI4FE3CE  
Hardware Address = F4CE464FE3CE  
Total Packets Received = 401  
Bad Packets Received = 0  
Total Packets Transmitted = 275  
IPv4 Address = 0.0.0.0  
IP Subnet Mask = 255.255.0.0  
IP Default Gateway = 169.254.219.232  
Bonjour Name =  
HP LaserJet Professional P1102w  
IP Configured By = AutoIP  
DHCP/BOOTP Server = 0.0.0.0  
WINS Server = 0.0.0.0  
IPv6 Link Local Address =  
FE80:0:0:F6CE:46FF:FE4F:E3CE  
IPv6 Stateless Addresses =  
IPv6 DHCP Addresses =  
802.11b/g Wireless:  
Status = Enabled  
Communication Mode = Infrastructure  
Network Name (SSID) = Tom Coady's Network  
Authentication = WEP

*after applying wireless ad hoc*

### Page Counts

Total Pages Printed = 109  
Input Jams = 0  
Output Jams = 0  
Paper Path Jams = 0  
Narrow Media Page Count = 0  
Total Jobs Printed = 52  
Average Job Size = 2.09  
Average Coverage = 5

### Memory Settings

Total Memory = 8 MBytes  
Available Memory = 5 MBytes

### Print Settings

Print Density = 3  
IO Timeout = 120 secs  
Jam Recovery = Off  
Paper Type = Plain  
Auto Off = 5 minutes  
Rx Code = 03,050,1024

### Status Log

Code	Page
------	------

### Paper Size/Tray

Default Paper Size = A4

# HP LaserJet Professional P1102w

## Self Test / Device Configuration

### Product Information

Product Name = HP LaserJet Professional P1102w  
Formatter Number = Q915MAA  
Product Serial Number = VNC3V03766  
Service ID = Unknown  
Firmware Datecode = 20091029  
Software driver version = 20091104  
Max Print Quality = FastRes 1200  
Black Cartridge = CE285A

### Page Counts

Total Pages Printed = 104  
Input Jams = 0  
Output Jams = 0  
Paper Path Jams = 0  
Narrow Media Page Count = 0  
Total Jobs Printed = 47  
Average Job Size = 2.21  
Average Coverage = 5

### Memory Settings

Total Memory = 8 MBytes  
Available Memory = 5 MBytes

### Print Settings

Print Density = 3  
IO Timeout = 120 secs  
Jam Recovery = Off  
Paper Type = Plain  
Auto Off = 5 minutes  
Rx Code = 03,050,1024

### Network Information

Status = Not Connected  
Host Name = NPI4FE3CE  
Hardware Address = F4CE464FE3CE  
Total Packets Received = 126  
Bad Packets Received = 0  
Total Packets Transmitted = 0  
IPv4 Address = 0.0.0.0  
IP Subnet Mask = 0.0.0.0  
IP Default Gateway = 0.0.0.0  
Bonjour Name =  
HP LaserJet Professional P1102w  
IP Configured By = Manual  
DHCP/BOOTP Server = 0.0.0.0  
WINS Server = 0.0.0.0  
IPv6 Link Local Address =  
IPv6 Stateless Addresses =  
IPv6 DHCP Addresses =

### 802.11b/g Wireless:

Status = Enabled  
Communication Mode = Ad Hoc  
Network Name (SSID) = HP4FE3CE  
Authentication = None (Open)

networking  
disabled?

### Status Log

Code	Page
------	------

### Paper Size/Tray

Default Paper Size = A4